

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin - 10mg



Tested for: Wasp Facilities

2500 Quantum Lakes Drive Suite 203 Boynton Beach FL 33426 | www.waspeptides.com

PASS

COA #:	COA-2026-ERG5_8	Method:	Full QC Panel
Lot Number:	032026	Analysis Date:	05/04/2026
Accession #:	ACC-2026-1886	Appearance:	Good
Concentration:	10mg	Volume:	3mL
Sample Matrix:	Lyophilized	Received:	05/04/2026



Scan to verify
authenticity at ils-lab.com

Identity

Tesamorelin

Purity

99.38%


Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	> 98%	99.38%	%	PASS
Net Peptide Content	Report Only	10.21	mg	N/A
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	0.0582 ppm	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	0.0694 ppm	ppm	PASS
Lead (Pb)	<= 1.0 ppm	Not Detected	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	0.0543 ppm	ppm	PASS
Chromium (Cr)	<= 10.0 ppm	Not Detected	ppm	PASS
Identity (ID)	Tesamorelin	Confirmed	-	PASS



Tesamorelin 10mg - 032026

HPLC Chromatogram



Tesamorelin 10mg - 032026: UV Chromatogram



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
5/4/2026

COA #: **COA-2026-ERG5_8**
Access Code: **M9EFOSE7**
Verify: <portal.ils-lab.com/verify/sxnGDjF9KAi6Vf8n>
Issued: 5/4/2026



Certificate of Analysis

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Tesamorelin - 10mg

PASS



Tested for: Wasp Facilities

2500 Quantum Lakes Drive Suite 203 Boynton Beach FL 33426 | www.waspeptides.com

COA #: COA-2026-ERG5_8
Lot Number: 032026
Accession #: ACC-2026-1886
Concentration: 10mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/04/2026
Appearance: Good
Volume: 3mL
Received: 05/04/2026



Scan to verify
authenticity at ils-lab.com

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 05/04/2026. Methods: Full QC Panel.
- The sample was confirmed to be Tesamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
5/4/2026

COA #: COA-2026-ERG5_8
Access Code: M9EFOSE7
Verify: <portal.ils-lab.com/verify/sxnGDjF9KAi6Vf8n>
Issued: 5/4/2026