

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 5x5mg



Tested for: Wasp Facilities

2500 Quantum Lakes Drive Suite 203 Boynton Beach FL 33426 | www.waspeptides.com

PASS

COA #:	COA-2026-WD2MS5	Method:	Full QC Panel
Lot Number:	032026	Analysis Date:	05/04/2026
Accession #:	ACC-2026-1865	Appearance:	Good
Concentration:	5x5mg	Volume:	3mL
Sample Matrix:	Lyophilized	Received:	05/04/2026



Scan to verify
authenticity at ils-lab.com

Identity

BPC-157 / TB-500

Purity

99.74%


Full QC Panel

Analyte	Specification	Result	Unit	Status
Blend Purity (HPLC)	>= 95.0%%	99.74%	%%	PASS
Net Blend Peptide Content	Report Only	10.47	mg	N/A
-- BPC-157 (51%)		5.34	mg	
-- TB-500/TB-4 (49%)		5.13	mg	
Identity	BPC-157; TB-500	Confirmed		PASS
Heavy Metals				
Arsenic (As)	<= 1.5	0.00	ppm	PASS
Cadmium (Cd)	<= 0.5	0.00	ppm	PASS
Chromium (Cr)	<= 10.0	0.00	ppm	PASS
Mercury (Hg)	<= 1.5	0.00	ppm	PASS
Lead (Pb)	<= 1.0	0.00	ppm	PASS



BPC-157 / TB-500 5x5mg - 032026

HPLC Chromatogram



BPC-157 / TB-500 5x5mg - 032026: UV Chromatogram



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
5/4/2026

COA #: COA-2026-WD2MS5

Access Code: AACRLWCZ

Verify: portal.ils-lab.com/verify/5j4n7dPIEWR2c_GF

Issued: 5/4/2026



Certificate of Analysis

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 5x5mg

PASS



Tested for: Wasp Facilities

2500 Quantum Lakes Drive Suite 203 Boynton Beach FL 33426 | www.waspeptides.com

COA #:	COA-2026-WD2MS5	Method:	Full QC Panel
Lot Number:	032026	Analysis Date:	05/04/2026
Accession #:	ACC-2026-1865	Appearance:	Good
Concentration:	5x5mg	Volume:	3mL
Sample Matrix:	Lyophilized	Received:	05/04/2026



Scan to verify
authenticity at ils-lab.com

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth		PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

1. Date Tested: 05/04/2026. Methods: Full QC Panel.
2. The sample was confirmed to be BPC-157 / TB-500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157 51%, TB-500/TB-4 49%). All components confirmed present by HPLC identity testing.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
5/4/2026

COA #: COA-2026-WD2MS5
Access Code: AACRLWCZ
Verify: portal.ils-lab.com/verify/5j4n7dPIEWR2c_GF
Issued: 5/4/2026