

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Epithalon - 10mg



Tested for: Wasp Facilities

2500 Quantum Lakes Drive Suite 203 Boynton Beach FL 33426 | www.waspeptides.com

PASS

COA #: **COA-2026-XXSJGQ**
Lot Number: **032026**
Accession #: **ACC-2026-1868**
Concentration: **10mg**
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**
Analysis Date: **05/04/2026**
Appearance: **Good**
Volume: **3mL**
Received: **05/04/2026**



Scan to verify
authenticity at ils-lab.com

Identity

Epithalon

Purity

99.04%


Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%%	99.04%	%%	PASS
Net Peptide Content	Report Only	10.40	mg	N/A
Identity	Epithalon	Confirmed		PASS
Heavy Metals				
Arsenic (As)	<= 1.5	0.00	ppm	PASS
Cadmium (Cd)	<= 0.5	0.00	ppm	PASS
Chromium (Cr)	<= 10.0	0.00	ppm	PASS
Mercury (Hg)	<= 1.5	0.00	ppm	PASS
Lead (Pb)	<= 1.0	0.00	ppm	PASS
Identity (ID)	Epithalon	Confirmed	-	PASS



Epithalon 10mg - 032026

HPLC Chromatogram



Epithalon 10mg - 032026: UV Chromatogram



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
5/4/2026

COA #: **COA-2026-XXSJGQ**
Access Code: **EB-BWFM**
Verify: <portal.ils-lab.com/verify/FPYlgmtZpeoNy0jN>
Issued: 5/4/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Epithalon - 10mg

PASS



Tested for: Wasp Facilities

2500 Quantum Lakes Drive Suite 203 Boynton Beach FL 33426 | www.waspeptides.com

COA #: COA-2026-XXSJGQ
Lot Number: 032026
Accession #: ACC-2026-1868
Concentration: 10mg
Sample Matrix: Lyophilized

Method: Full QC Panel
Analysis Date: 05/04/2026
Appearance: Good
Volume: 3mL
Received: 05/04/2026



Scan to verify
authenticity at ils-lab.com

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth		PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.05 EU/mL	NMT 0.05 EU/mL		PASS

Notes & Methodology

- Date Tested: 05/04/2026. Methods: Full QC Panel.
- The sample was confirmed to be Epithalon by HPLC. Identification by chromatographic retention time comparison with a reference standard.



Dr. Greg Kalyuzhny
Lab Director
5/4/2026

COA #: COA-2026-XXSJGQ
Access Code: EB-BWFM_
Verify: <portal.ils-lab.com/verify/FPYlgmtZpeoNy0jN>
Issued: 5/4/2026